Dear All,

IDS Series:

Stylish and reliable interactive displays from 32" to 70" that engage your customers



	3202L	4202L	4602L	5501LT	7001LT		
Screen Size	31.5"	42.0"	46.0"	54.6"	69.5"		
(diagonal)	01.0			C 1 C			
Display Ratio		16:9; 1920 × 1080 (Full HD)					
Thickness *	2.0" (51mm)	2.0" (51mm)	2.0" (51mm)	3.4" (87mm)	3.7" (94mm)		
Form Factor	Wall mount w	ith optional d	esktop stand	Wall	Wall mount		
Contrast Ratio	3000:1	4000:1	4000:1	4000:1	5000:1		
Brightness		500 nits					
Viewing angle		89°/89° or 178°/178°					
Power Cons.	55W	81W	95W	122W	145W		
(Typ. ON)	95W	OIW	9500	122 VV	VV C+1		
Touch tochnologica	PCAP/	PCAP/	PCAP/	Infrared	Tufuanad		
Touch technologies	Infrared	Infrared	Infrared	Intrarea	Infrared		
	0 11 1		0 11544				
	Optional webcam; VGA, 2x HDMI, Optional webcam; VGA, HDMI display						
	Display port, OSD Remote, Touch USB, port video; OSD Remote, Touch USB,						
Other	GPIO; four 5W speakers; NFC adapter, four 5W speakers; NFC adapter, OPS kit,						
	OPS kit, ELC	View Remote	Management	ELOView Remote Management			
	compatible.			compatible.			

^{*} Thickness dimensions are based on PCAP displays.

 $[\]star$ Old model 4201L, 4600L, 5501L, 7001L with optical touch will be obsolete.

IDS Series:

Display Part List:

Model:	Technology	Bezel:	Interface:	Surface	Part No.:	Video input:
				Treatment:		
3202L	Infrared touch	Yes	USB	Clear	E222368	VGA, 2x HDMI, DisplayPort
3202L	Projected Capacitive	No	USB	Clear	E222371	VGA, 2x HDMI, DisplayPort
4202L	Infrared touch	Yes	USB	Clear	E222369	VGA, 2x HDMI, DisplayPort
4202L	Projected Capacitive	No	USB	Clear	E222372	VGA, 2x HDMI, DisplayPort
4602L	Infrared touch	Yes	USB	Clear	E222370	VGA, 2x HDMI, DisplayPort
4602L	Projected Capacitive	No	USB	Clear	E222373	VGA, 2x HDMI, DisplayPort
5501LT	Infrared touch	Yes	USB	Clear	E268254	VGA, 1x HDMI, DisplayPort
7001LT	Infrared touch	Yes	USB	Clear	E008823	VGA, 1x HDMI, DisplayPort

Optional Accessories:

Contents / Description
Barcode reader
Magnetic stripe reader
RFID reader
Wallmountfor IDS 02 Series
WebcamforIDS02Series
ECMG2 Power connector module
Stand for IDS 02 Series
IDS side-mount brackets
Wired OSD remote
OPS adaptor kitfor IDS 01 Series

IDS Series:



PC Modules Part List:

Model	Part No.: (ECM <i>G2C -</i> for IDS 02 Series Displays)	Processor	RAM	Storage	os
ECMG2-i3	E333775				NO OS
	E333965	Intel Core i3 3.4GHz HD4400			Windows7
	E334168				Windows 8.1 Embedded
ECMG2-i5	E334358			320GB HDD	NO OS
	E334542	Intel Core i5 3.7GHz HD4600	4 <i>G</i> B		Windows 7
	E334744				Windows 8.1 Embedded
ECMG2-i7	E334949		8 <i>G</i> b		NO OS
	E335147	Intel Core i7 4.0GHz HD4600			Windows7
	E335345				Windows 8.1 Embedded
ECM Android	E336899	Qualcomm APQ8064	2 <i>G</i> B	Onboard 16GB eMMC	Android 4.4

For further details on our products, please feel free to contact us @ Tel: 2543-4921, or via email to sales@touchscreen.com.hk
Marketing Department: Website: http://www.touchscreen.com.hk

If you want to unsubscribe to our newsletter, please inform us by a return email!

ELO M-Series 2002L (19.5") LED Touch Monitor:



The ELO M-Series 2002L widescreen LED desktop touch monitor is a modern and stylish interactive solution for customer engagement and employee effectiveness. The sleek wide aspect ratio touchscreen features a full HD edge-to-edge glass display to showcase your content.

For environments where space is limited, the 2002L offers a low profile, with versatile mounting ideal for point-of-sale (POS), point-of-information (POI) and point-of-service applications within retail and hospitality environments. The multiple mount and stand options ensure installation flexibility and accommodate desktop use as well as wall- and pole-mount with standard VESA mount patterns.

The seamless zero-bezel 19.5" multi-touch display offers 11.5% larger screen area compared to the 1919L, with beautiful full HD resolution and HDMI input. Available with cutting-edge projected capacitive (PCAP) multi-touch capability supporting up to ten-touches simultaneously offers a tablet-like interactive experience. Built to withstand the rigors of continuous public use, the 2002L is retail-hardened and is well suited for high traffic venues.

Optional color coordinated retail accessories include a magnetic stripe reader (MSR), barcode scanner and near field communication (NFC) adapter for mobile payments and increased compatibility with the latest point of sale applications. The accessories are easily installed, providing an elegant, integrated solution that eliminates the need for external brackets or attachments.

Features:

- · Touch Technology Projected capacitive (10 touch).
- · Stylish and modern widescreen design with "Built for Touch" reliability.
- Edge-to-edge glass with anti-glare display for retail interiors.
- · Full HD resolutions.
- Flexible mounting in portrait, landscape and table-top orientation.
- Configurable with integrated retail accessories including: MSR, barcode scanner, NFC for mobile payments.
- Worldwide agency approvals and a 3-years' standard warranty.

ELO M-Series 2002L (19.5") LED Touch Monitor:

Part No. List:

Model:		Surface: Treatment		Color:	Part No.:	Resolution:	Video Input:
2002L	10 points - PCAP	Antiglare	USB	Black	E396121	1920 × 1080	VGA & HDMI

Options/Peripheral/Upgrades	Part No.:
3m Cable Kit	E210606
Magnetic Stripe Reader	E001002
Barcode Reader	E093433
NFC reader	E001004
VFD Customer Display	E001003
Pole mount - 6 inch	E047458
Pole mount - 12 inch	E047663
Pole mount - 18 inch	E047864
Floor Stand - 5 foot	E048069
Power Brick Kit - 3m Power Cable	E210973
Wall mount	E143088
Shelf Mount	E043382
Pole Mount Bracket	E045151
Table top dual hinge stand	E044162

For further details on our products, please feel free to contact us @ tel: 2543-4921, or via email to sales@touchscreen.com.hk
Marketing Department: Website: http://www.touchscreen.com.hk

If you want to unsubscribe to our newsletter, please inform us by a return email!